

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	1026	(three near2 dimension\$3 3d) and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 07:14
S2	6244	hidden near2 line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 07:14
S6	1026	(three near2 dimension\$3 3d) and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:46
S5	6244	hidden near2 line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:46
S9	26	S8 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:55
S8	430	345/422.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:55
S10	1	S9 and ((z depth) near2 max) and ((z depth) near2 min)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:58
S12	8	S9 and ((z depth) near2 max\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:03
S13	0	S11 and (sort\$4 near2 max\$5 near2 z)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:04

EAST Search History

S16	1	S8 and (sort\$4 near2 (z depth) near2 max\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:05
S15	0	S5 and (sort\$4 near2 (z depth) near2 max\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:05
S18	3	S5 and (sort\$4 same (z depth) near2 max\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:12
S20	39	S19 and ((z depth) near2 max) and ((z depth) near2 min)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:14
S19	454	345/421.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:14
S23	9	S19 and (sort\$4 same (z depth) near2 max\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:15
S22	0	S19 and (sort\$4 near2 (z depth) near2 max)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:15
S21	0	S20 and (sort\$4 near2 (z depth) near2 max)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:15
S17	9	S8 and (sort\$4 same (z depth) near2 max\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:15
S14	0	S6 and (sort\$4 near2 (z depth) near2 max)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:15

EAST Search History

S24	143	(contour near2 line) and (ridge near2 line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 12:35
S26	2016	S25 and (z depth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:07
S25	6479	hidden near2 line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:07
S4	586	S3 and (z depth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:07
S27	28	S26 and ((z depth) near2 max) and ((z depth) near2 min)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:08
S32	38	S28 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 14:54
S31	605	S30 and (z depth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 14:54
S30	1065	(three near2 dimension\$3 3d) and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 14:54
S28	470	345/421.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 14:54
S7	17	S6 and ((z depth) near2 max) and ((z depth) near2 min)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 14:55

EAST Search History

S39	605	S38 and (z depth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 10:57
S38	1066	(three near2 dimension\$3 3d) and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 10:57
S37	6485	hidden near2 line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 10:57
S36	91	S34 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 10:57
S41	8	S36 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 10:58
S40	38	S34 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 10:58
S42	472	345/421.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 11:08
S45	2	S42 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 11:30
S44	448	kidera.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 11:30
S43	40	S42 and ((z depth) near2 max) and ((z depth) near2 min)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 11:30

EAST Search History

S33	40	S28 and ((z depth) near2 max) and ((z depth) near2 min)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 12:04
S46	5	(sort\$4 near2 (polygon triangle)) same ((z depth) near2 max) and ((z depth) near2 min)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 12:19
S47	11	S43 and (sort\$4 near2 (polygon triangle)) and ((z depth) near2 max) and ((z depth) near2 min)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 12:22
S48	6	S36 and (sort\$4 near2 (polygon triangle)) and ((z depth) near2 max) and ((z depth) near2 min)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 13:33
S49	16	((sort\$4 near3 polygon) same (z depth)) and ((compar\$4 near2 (z depth))) and (max\$4 near2 (z depth)) and (min\$4 near2 (z depth))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 13:36
S35	446	345/422.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 13:40
S34	472	345/421.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 13:40
S1	454	345/421.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 10:18
S50	6164	(occlusion near2 culling) ((z depth) near2 test\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 10:19
S52	28	S50 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 10:20

EAST Search History

S53	276	hidden near2 line near2 remov\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 10:31
S51	6496	hidden near2 line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 10:31
S55	15	S50 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 10:35
S54	1	S50 same S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 10:35
S29	6479	hidden near2 line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:05
S56	65	S51 and (normal near2 angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 14:10
S57	6496	hidden near2 line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 14:11
S11	1	S9 and ((z depth) near2 max\$4) and ((z depth) near2 min\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 14:11
S58	28	S57 and ((z depth) near2 max\$4) and ((z depth) near2 min\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 14:20
S59	37	project\$4 near2 (primitive polygon) near2 (2d two near2 dimension\$3) near2 (plane surface display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 14:22

EAST Search History

L2	96	("5410644" "4855938" "6151026" "6222548" "6222548" "4970499" "5542032" "4475104" "4609917" "5649078" "6078334" "6222552" "6226003" "6222552" "6226003" "4594673" "4992780" "5214753" "5220646" "5249264" "5268995" "5359704" "5392385" "5574835" "5739826" "5771046" "5854631" "4630234" "5271094" "5341462" "5828378" "6040844" "6256040" "6285378" "6392646" "5544291" "5745666" "5808617" "6034739" "4343037" "5566285" "5579454" "5870097" "5877779" "6023279" "6175365" "6252608" "6275233" "6346941" "6347344").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 08:21
----	----	---	---	----	----	------------------



Inventor Name Search Result

Your Search was:

 Last Name = KIDERA
 First Name = MASAYUKI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
10808534	Not Issued	71	03/25/2004	Hidden line processing method for erasing hidden lines in projecting a three-dimensional model consisting of a plurality of polygons onto a two-dimensional plane	KIDERA, MASAYUKI
10967640	Not Issued	20	10/19/2004	Hidden-line removal method	KIDERA, MASAYUKI
11167294	Not Issued	30	06/28/2005	Apparatus for displaying workflow, method for displaying workflow, and program for displaying workflow	KIDERA, MASAYUKI
11255921	Not Issued	20	10/24/2005	Work support system, work support method, computer-readable recording medium storing a work support program thereon, work support information creating system, work support information creating method, and computer-readable recording medium storing a work support information creating program thereon	KIDERA, MASAYUKI
11356236	Not Issued	20	02/17/2006	Workflow system, workflow management method and program	KIDERA, MASAYUKI
11391249	Not Issued	20	03/29/2006	Apparatus and method for evaluating equipment operability, and equipment operability evaluating program	KIDERA, MASAYUKI
11411871	Not Issued	30	04/27/2006	Hidden line processing method for erasing hidden lines in projecting a three-dimensional model consisting of a plurality of polygons onto a two-dimensional plane	KIDERA, MASAYUKI

Inventor Search Completed: No Records to Display.

	Last Name	First Name	
Search Another: Inventor	KIDERA	MASAYUKI	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)